

UNITED STATES PATENT AND TRADEMARK OFFICE



UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231
www.uspto.gov

APPLICATION NO.	FI	ILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/699,805		10/30/2000	William Thornton	98006/17UTL	8722
23873	7590	06/18/2002			
ROBERT W STROZIER, PLLC				EXAMINER	
2925 BRIARPARK, SUITE 930 HOUSTON, TX 77042				SOTOMAYOR, JOHN	
				ART UNIT	PAPER NUMBER
				3714	
			DATE MAILED: 06/18/2002		

Please find below and/or attached an Office communication concerning this application or proceeding.

Applicant(s) Application No. THORNTON, WILLIAM 09/699,805 Art Unit Office Action Summary Examiner 3714 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 1 MONTH(S) FROM Period for Reply Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed THE MAILING DATE OF THIS COMMUNICATION. the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely. If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication. Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Responsive to communication(s) filed on _____. Status 2b) This action is non-final. 1) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. 2a) 3)□ **Disposition of Claims** 4) Claim(s) 1-7 is/are pending in the application. 4a) Of the above claim(s) _____ is/are withdrawn from consideration. 5) Claim(s) _____ is/are allowed. 6) Claim(s) _____ is/are rejected. 7) Claim(s) _____ is/are objected to. 8) Claim(s) 1-7 are subject to restriction and/or election requirement. **Application Papers** 9) The specification is objected to by the Examiner. 10) The drawing(s) filed on ____ is/are: a) accepted or b) objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). 11) The proposed drawing correction filed on _____ is: a) approved b) disapproved by the Examiner. If approved, corrected drawings are required in reply to this Office action. 12) ☐ The oath or declaration is objected to by the Examiner. Priority under 35 U.S.C. §§ 119 and 120 13) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some * c) ☐ None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. ____ 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application). a) The translation of the foreign language provisional application has been received. 15) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121. 4) Interview Summary (PTO-413) Paper No(s).

1) Notice of References Cited (PTO-892)

2) DNotice of Draftsperson's Patent Drawing Review (PTO-948)

Attachment(s)

6) Other:

Notice of Informal Patent Application (PTO-152)

Application/Control Number: 09/699,805

Art Unit: 3714

Election/Restrictions

1. Restriction to one of the following inventions is required under 35 U.S.C. 121:

- I. Claims 1 and 2, drawn to an apparatus for simulating a right side and left side pulse and correlated heart beat of an animal, classified in class 119, subclass 174.
- II. Claims 3 and 4, drawn to a method for teaching the proper use of a stethoscope, classified in class 600, subclass 502.
- III. Claims 5-7, drawn to a system, apparatus and method of visually, acoustically and tactually simulating animal, including human, parameters to emulate a desired condition, classified in class 434, subclass 262.
- 2. The inventions are distinct, each from the other because of the following reasons:

Inventions I and II are related as subcombinations disclosed as usable together in a single combination. The subcombinations are distinct from each other if they are shown to be separately usable. In the instant case, invention II has separate utility such as using the stethoscope for animals and humans and sensing conditions other than pulse and heart rate, such as lung function. Although the method could be used with the invention of Group I it is not limited to that use, nor does it require the simulator described in the invention of Group I. See MPEP § 806.05(d). Because these inventions are distinct for the reasons given above and have acquired a separate status in the art as shown by their different classification, restriction for examination purposes as indicated is proper.

Invention III is prima facie an independent and distinct invention from I and II due to the recitations of distinct and specific structure. The inventions are distinct from each other if they

are shown to be separately usable. In the instant case, invention III has separate utility such as the simulation of a plurality of conditions other than the simulation of pulse and heart rate. The invention of Group III may be used to simulate any desired condition with visual, acoustic and tactual sections, such as the simulation of gas flow through an intestine, not limited to animal species or to the simulation of just pulse and heart rate, as described in Group II. The invention of Group III also may simulate conditions other than those for which a stethoscope is properly indicated, as described in Group I. See MPEP § 806.05(d). Because these inventions are distinct for the reasons given above and have acquired a separate status in the art as shown by their different classification, restriction for examination purposes as indicated is proper.

3. Applicant is advised that the reply to this requirement to be complete must include an election of the invention to be examined even though the requirement be traversed (37 CFR 1.143).

Conclusion

Please refer to 37 CFR 1.6(d) and 1.8(a)(2) for filing limitations concerning facsimile transmissions and mailing, respectively.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to John L Sotomayor whose telephone number is 703-305-4558. The examiner can normally be reached on 7:30-4:00 M-F.

Art Unit: 3714

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jessica Harrison can be reached on 703-308-2217. The fax phone numbers for the organization where this application or proceeding is assigned are 703-308-7768 for regular communications and 703-308-7768 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-305-4558.

jls June 17, 2002

> VALENCIA MARTIN-WALLACE SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 3700